

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/522,294	03/09/2000	Manabu Kato	35.C14341	3313	
5514	7590 10/07/2003		EXAMINER		
FITZPATRI	CK CELLA HARPER	PHAM, HAI CHI			
30 ROCKEFI NEW YORK	ELLER PLAZA NY 10112		ART UNIT PAPER NUMBER		
NEW TORK	, 1,11		2861		
			DATE MAILED: 10/07/200	DATE MAILED: 10/07/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

				Dr.		
	Applicatio	n No.	Applicant(s)			
	09/522,29	4	KATO, MANABU			
Office Action Summary	Examiner		Art Unit			
	Hai C Phar		2861			
The MAILING DATE of this communication app Period for Reply	ars on the	cover sheet with th	correspondenc add	ress		
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply if NO period for reply is specified above, the maximum statutory period with the period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	36(a). In no ever within the staturill apply and will cause the appli	nt, however, may a reply be tir cory minimum of thirty (30) day expire SIX (6) MONTHS from cation to become ABANDONE	nely filed s will be considered timely. the mailing date of this con D (35 U.S.C. § 133).	nmunication.		
1) Responsive to communication(s) filed on 21 J	l <u>uly 2003</u> .					
2a)☐ This action is FINAL . 2b)☒ Thi	is action is	non-final.				
3) Since this application is in condition for allowa				merits is		
closed in accordance with the practice under language of Claims	<i>Ех рапе Q</i> і	iayie, 1935 C.D. 11, 4	153 O.G. 213.			
4)⊠ Claim(s) <u>1-10,12-18,40 and 42-79</u> is/are pendi						
4a) Of the above claim(s) is/are withdrav	vn from con	sideration.				
5) Claim(s) <u>1-10,56,63,67 and 74</u> is/are allowed.						
6) Claim(s) <u>12-18,40,42-55,57-62,64-66,68-73 an</u>	<u>id 75-79</u> is/a	are rejected.				
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or Application Papers	r election re	quirement.				
9)☐ The specification is objected to by the Examiner	r					
10) The drawing(s) filed on is/are: a) accep		objected to by the Exa	miner.			
Applicant may not request that any objection to the						
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action.						
12) The oath or declaration is objected to by the Exa	aminer.					
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign	priority und	der 35 U.S.C. § 119(a	a)-(d) or (f).			
a)⊠ All b)□ Some * c)□ None of:						
 Certified copies of the priority documents 	s have beer	received.				
2. Certified copies of the priority documents have been received in Application No						
 3. Copies of the certified copies of the prior application from the International But * See the attached detailed Office action for a list 	reau (PCT l	Rule 17.2(a)).		Stage		
14)☐ Acknowledgment is made of a claim for domesti	c priority un	der 35 U.S.C. § 119(e) (to a provisional	application).		
 a) ☐ The translation of the foreign language pro 15)☐ Acknowledgment is made of a claim for domesting 						
Attachment(s)	-					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	·	·	y (PTO-413) Paper No(s Patent Application (PTC			

Application/Control Number: 09/522,294

Art Unit: 2861

DETAILED ACTION

Claim Objections

1. Claims 71 and 78 are objected to because of the following informalities:

Claim 71:

• Line 1, "according to claim 69" should read --according to claim 70--, otherwise claim 71 would be an exact duplicate of claim 69.

Claim 78:

• Line 1, "according to claim 76" should read --according to claim 77--, otherwise claim 78 would be an exact duplicate of claim 76.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 40, 42-43, 48, 58, 65, 70-71, 73/70, 77-78 rejected under 35 U.S.C. 102(b) as being anticipated by Kitamura (U.S. 4,424,442).

Kitamura discloses a multi-beam scanning apparatus comprising light source (1) having a plurality of light emitting sections (1a, 1b, 1c), a light deflector (polygon mirror 3) for deflecting a plurality of light beams emitted respectively from the plurality of light emitting sections of said light source, a scanning optical system (f-θ lens 4) for focusing

Application/Control-Number: 09/522,294

Art Unit: 2861

the plurality of light beams deflected by said light deflector on a surface to be scanned (surface of the photosensitive drum 6), a photodetector (5) for controlling a timing of a start of scanning of the plurality of light beams by detecting at least one of the plurality of light beams deflected by said light deflector as at least one detection light beam, and a detection optical element (lens 10) for converging the at least one detection light beam and leading it to said photodetector (see Fig. 4A), said detection optical element (10) having a refractive power in the main-scanning direction (col. 2, lines 21-30), wherein said detection optical element has its optical surfaces arranged orthogonally relative to an arrangement direction of the at least one detection light beam (the optical axis 11 of the cylindrical lens 10 being coincident with the primary scanning direction and parallel to the principal rays of incident lights 3a, 3b, 3c, and the surface 5a of the photodetector 5 being orthogonal to the optical axis 11) (col. 3, lines 17-35).

With respect to claims 40, 43, 48, 58, 65, 70-71, 73/70, 77-78, Kitamura further teaches the detection optical element (10) comprising an anamorphic lens, at least one image carrier (photosensitive drum 6) being arranged on the at least one surface to be scanned, the at least one detection light beam not passing through said scanning optical system (col. 2, lines 21-30), an incident optical system (2) for leading the plural beams to the light deflector, as well as all the plural beams being detected by the photodetector.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Application/Control-Number: 09/522,294

Art Unit: 2861

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claims 12-13, 18, 49-50, 55, 57, 59, 64, 66, 68-69, 72, 73/72, 75-76, 79 rejected under 35 U.S.C. 103(a) as being unpatentable over Kitamura in view of Ohmori et al. (U.S. 4,978,977).

Kitamura discloses all the basic limitations of the claimed invention except for two lenses being disposed in front of the photodetector, and the photodetector being held optically equivalent with respect to the center of the scanning width.

However, Ohmori et al. discloses a laser scanning apparatus, which comprises an SOS sensor (10) for determining the start of scanning position of the laser beam is held equivalent to the surface of the photosensitive member (8), a first cylindrical lens (11) and a second cylindrical lens (12) disposed in front of the SOS sensor for converging the detection beam onto the surface of the SOS sensor, the surfaces of the two lenses being held orthogonal to the principal ray of the detection beam (Fig. 4). Ohmori et al. also teaches the second cylindrical lens (12) being replaced by a usual condenser lens having power in both scanning directions (col. 3, lines 55-68).

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to incorporate the pair of detection lenses as taught by Ohmori et al. in the device of Kitamura. The motivation for doing so would have been to precisely focus the detection beam onto the sensor as well as to diminish synchronization error as suggested by Ohmori et al.

Application/Control-number: 09/522,294

Art Unit: 2861

6. Claims 15, 52, 60, 62 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kitamura in view of Ohmori et al., as applied to claims 12, 49 above, and further in view of Kamikubo (U.S. 6,124,962).

Kitamura, as modified by Ohmori et al., discloses all the basic limitations of the claimed invention except for the scanning optical system comprising a refraction optical element and a diffraction optical element.

However, Kamikubo discloses a scanning optical system whose scanning lenses comprise refraction lens elements with a diffraction lens structure for compensating compensates for the lateral chromatic aberration caused by the refraction lens elements. Kamikubo further teaches the scanning optical system would include a plurality of light sources emitting lights at different wavelengths.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to incorporate the refraction and diffraction lens elements as taught by Kamikubo in the modified device of Kitamura. Doing so would eliminate the chromatic aberration when a light source emitting a plurality of light beams of different wavelengths are used.

7. Claims 45, 61 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kitamura in view of Kamikubo.

Kitamura discloses all the basic limitations of the claimed invention except for the scanning optical system comprising a refraction optical element and a diffraction optical element.

Application/Contro-Number: 09/522,294

Art Unit: 2861

However, Kamikubo discloses a scanning optical system whose scanning lenses comprise refraction lens elements with a diffraction lens structure for compensating compensates for the lateral chromatic aberration caused by the refraction lens elements. Kamikubo further teaches the scanning optical system would include a plurality of light sources emitting lights at different wavelengths.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to incorporate the refraction and diffraction lens elements as taught by Kamikubo in the device of Kitamura. Doing so would eliminate the chromatic aberration when a light source emitting a plurality of light beams of different wavelengths are used.

8. Claims 14 and 51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kitamura in view of Ohmori et al., as applied to claims 12, 49 above, and further in view of Kanoto et al. (U.S. 5,365,259).

Kitamura, as modified by Ohmori et al., discloses all the basic limitations of the claimed invention except for the detection optical element being made of a plastic material.

However, Kanoto et al. discloses a scanning optical device comprising a detection optical element (24c, Fig. 7) for converging the deflected laser beam toward the start of scan photosensor (11), the detection lens being disposed orthogonally relative to the deflected laser beam, and being integral to the scanning lens (24), both being made of a plastic material.

Application/Control number: 09/522,294

Art Unit: 2861

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to provide detection lens made of plastic as taught by Kanoto et al. in the modified device of Kitamura. By doing so, it is possible to provide a light and compact optical scanning device.

9. Claims 16-17, 53-54 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kitamura in view of Ohmori et al. and Kamikubo, as applied to claims 12, 15, 49, 52 above, and further in view of Kanoto et al.

Kitamura, as modified by Ohmori et al. and Kamikubo, discloses all the basic limitations of the claimed invention except for the detection optical element and the scanning lens being integrally formed and being both made of a plastic material.

However, Kanoto et al. discloses a scanning optical device comprising a detection optical element (24c, Fig. 7) for converging the deflected laser beam toward the start of scan photosensor (11), the detection lens being disposed orthogonally relative to the deflected laser beam, and being integral to the scanning lens (24), both being made of a plastic material.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the device of Kitamura, as modified by Ohmori et al. and Kamikubo, with the aforementioned teaching of Kanoto et al. By doing so, it is possible to provide a light and compact optical scanning device.

10. Claim 44 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kitamura, as applied to claim 42 above, and further in view of Kanoto et al.

Application/Contro-Aumber: 09/522,294

Art Unit: 2861

Kitamura discloses all the basic limitations of the claimed invention except for the detection optical element being made of a plastic material.

However, Kanoto et al. discloses a scanning optical device comprising a detection optical element (24c, Fig. 7) for converging the deflected laser beam toward the start of scan photosensor (11), the detection lens being disposed orthogonally relative to the deflected laser beam, and being integral to the scanning lens (24), both being made of a plastic material.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to provide detection lens made of plastic as taught by Kanoto et al. in the device of Kitamura. By doing so, it is possible to provide a light and compact optical scanning device.

11. Claims 46-47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kitamura in view of Kamikubo, as applied to claims 42, 45 above, and further in view of Kanoto et al.

Kitamura, as modified by Kamikubo, discloses all the basic limitations of the claimed invention except for the detection optical element and the scanning lens being integrally formed and being both made of a plastic material.

However, Kanoto et al. discloses a scanning optical device comprising a detection optical element (24c, Fig. 7) for converging the deflected laser beam toward the start of scan photosensor (11), the detection lens being disposed orthogonally relative to the deflected laser beam, and being integral to the scanning lens (24), both being made of a plastic material.

Application/Contro-Number: 09/522,294

Art Unit: 2861

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the device of Kitamura, as modified by Kamikubo, with the aforementioned teaching of Kanoto et al. By doing so, it is possible to provide a light and compact optical scanning device.

Allowable Subject Matter

- 12. Claims 1-10, 56, 63, 67, 74 are allowed.
- 13. The following is an examiner's statement of reasons for allowance: the primary reason for the indication of the allowability of the claimed invention is the inclusion of the limitation, in the combination as currently claimed, that the claimed multi-beam scanning optical apparatus includes a photodetector for controlling a timing of a start of scanning of the plurality of light beams by detecting at least one of the plurality of light beams deflected by the light deflector as at least one detection light beam, and wherein the timing of the start of scanning is controlled to align the centers of scanning areas of the plurality of light beams with each other on the surface to be scanned while allowing starting points of scanning of the plurality of light beams to differ from each other when the plurality of light beams have respective wavelengths that are different from each other. The combined limitations are not found taught or fairly suggested by the prior arts made of record, considered alone or in combination.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

14. Applicant's arguments with respect to claims 12-18, 40, 42-79 have been considered but are moot in view of the new grounds of rejection presented in this office action.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hai C Pham whose telephone number is (703) 308-1281. The examiner can normally be reached on T-F (8:30-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Benjamin R. Fuller can be reached on (703) 308-0079. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7722, (703) 308-7724, (703) 308-7382, (703) 305-3431, (703) 305-3432.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

HAI PHAM PRIMARY EXAMINER

Havelitham

September 25, 2003